

2961/3Q

# QUICK-LOCK® Ceiling systems

Saint-Gobain API BV  
 Newtonweg 1  
 3846 BF Harderwijk  
 The Netherlands


P.O. Box 1  
 3840 AA Harderwijk  
 The Netherlands

T +31 (0)341 474600  
 F +31 (0)341 474626  
 E sales@api.nl  
 www.api.nl

Chamber of Commerce  
 08015950  
 BTW NL004318892.B.01

## Declaration of Performance 0007-155E

### Quick-Lock 24



1. Unique identification of product : Quick-Lock®
2. Identification of the construction product components:  
Quick-Lock 24-32,38,60 HE/ RE
3. Intended use: Suspension system components for ceilings in building interiors
4. Manufacturer: Saint-Gobain API BV Newtonweg 1 Harderwijk The Netherlands [www.api.nl](http://www.api.nl)
5. Authorized representatives: n.a.
6. System of assessment and verification of performance:
  - 6.1. Loadbearing capacity: System 3
  - 6.2. Reaction to fire: System 3 or 4
  - 6.3. Durability: System 4
7. Harmonized standard covering the construction product- EN 13964-2007 suspended ceilings:
  - 7.1. Loadbearing capacity: Tests carried out by NB0432 MPA Dortmund, NB1153 TNO Delft
  - 7.2. Reaction to fire: Galvanized steel Commission decision 96/603/EC; Coil-coated steel Commission decision 2010/737/EC. Tests carried out by NB 0679 CSTB RA08-0251,
  - 7.3. Durability: EN 13964 Table 8
8. European Technical Assessment: n.a.

# QUICK-LOCK® Ceiling systems

## 9. Declared performances:

	7.1 Load bearing capacity						7.2 Reaction to fire	7.3 Durability
	Deflection	Span min/max mm	Admissible bending moment (M <sub>adm</sub> ) Nm	Maximum bending moment (M <sub>u</sub> ) Nm	Bending stiffness (EI) Nm <sup>2</sup>	Notified body		
QL 24-60	Class 1	1250 / 2500	37,7	94,1	5742	NB0432	Class A1	Class B
QL 24-38 HE	Class 1	1000 / 1250	27,0	38,7	1913	NB0432	Class A1	Class B
QL 24-38 HE	Class 1	1250 / 2500	13,4	33,5	1404	NB0432	Class A1	Class B
QL 24-38 RE	Class 1	1000 / 1250	18,1	45,2	950	NB0432	Class A1	Class B
QL 24-38 EC	Class 1	1000 / 1500	24,7	116,7	1542	NB0432	Class A1	Class B
QL 24-32	Class 1	1000 / 1250	17,8	27,0	745	NB0432	Class A1	Class B

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performances point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for on behalf of the manufacturer:

  
J. van Eekhout  
Managing Director  
Harderwijk NL 06-06-2013

# QUICK-LOCK\* Ceiling systems

Saint-Gobain API BV

Newtonweg 1  
3846 BJ Harderwijk  
Nizozemsko

P.O. Box 1  
3840 AA Harderwijk  
Nizozemsko  
T +31 (0)341474600  
F +31(0)341474626  
E sales@api.nl

www.api.nl

Obchodní komora  
08015950  
BTW NL004318894 B.01

## Prohlášení o vlastnostech 0007-155E

### Quick-Lock 24

1. Jedinečný identifikační kód typu výrobku: Quick-Lock®
2. Identifikace komponent stavebního výrobku:  
Quick-Lock 24-32,38,60 HE/ RE
3. Zamýšlené použití: komponenty závěsných systémů pro podhledy v interiérech budov
4. Výrobce: Saint-Gobain API BV Newtonweg 1 Harderwijk Nizozemsko [www.api.nl](http://www.api.nl)
5. Zplnomocněný zástupce: není relevantní
6. Systémy posuzování a ověřování stálosti vlastností:
  - 6.1. Nosnost: Systém 3
  - 6.2. Reakce na oheň: Systém 3 nebo 4
  - 6.3. Odolnost: Systém 4
7. Harmonizovaná norma vztahující se na stavební výrobek – EN 13964-2007  
Zavěšené podhledy:
  - 7.1. Nosnost: zkoušky provedl NB0432 MPA Dortmund; NB1153 TNO Delft
  - 7.2. Reakce na oheň: rozhodnutí komise 96/603/ES o pozinkované oceli;  
rozhodnutí komise 2010/737/ES o povlakované oceli: zkoušky provedl NB  
0679 CSTB RA08-0251,
  - 7.3. Odolnost: EN 13964 Tabulka 8
8. Evropské technické posouzení: není relevantní

# QUICK-LOCK\*

## Ceiling systems

### 9. Deklarované vlastnosti:

	7.1 Nosnost						7.2	7.3
	Vychýlení	Min./max. rozpětí (mm)	Přípustný ohybový moment (M <sub>adm</sub> ) Nm	Maximální ohybový moment (M <sub>u</sub> ) Nm	Ohybová tuhost (EI) Nm <sup>2</sup>	Notifikovaná osoba	Reakce na oheň	Odolnost
QL 24-60	Třída 1	1250/2500	37,7	94,1	5742	NB0432	Třída A1	Třída B
QL 24-38 HE	Třída 1	1000/1250	27,0	38,7	1913	NB0432	Třída A1	Třída B
QL 24-38 HE	Třída 1	1250/2500	13,4	33,5	1404	NB0432	Třída A1	Třída B
QL 24-38 RE	Třída 1	1000/1250	18,1	45,2	950	NB0432	Třída A1	Třída B
QL 24-38 EC	Třída 1	1000/1500	24,7	116,7	1542	NB0432	Třída A1	Třída B
QL 24-32	Třída 1	1000/1250	17,8	27,0	745	NB0432	Třída A1	Třída B

10. Vlastnosti výrobku uvedeného v bodě 1 a 2 jsou v souladu s deklaroványi vlastnostmi v bodě 9. Toto prohlášení o vlastnostech je vydáno na výhradní odpovědnost výrobce uvedeného v bodě 4.

Jménem výrobce podepsal/a:

*Podpis připojen*

J. van Eekhout  
Generální ředitel  
Harderwijk NL 06-06-2013

## PŘEKLADATELSKÁ DOLOŽKA

Já, Mgr. Martina Levey, IČ: 63683369, soudní překladatelka a tlumočnice jazyka českého a jazyka anglického zapsaná v seznamu soudních překladatelů a soudních tlumočnicků vedeném Ministerstvem spravedlnosti České republiky, tímto stvrzuji, že jsem osobně provedla překlad připojené listiny a že tento překlad souhlasí s textem předmětné listiny.

Tento úkon je zapsán v evidenci úkonů pod číslem položky: 03/2022

V Praze dne

M/21/2022



M/21/2022  
Mgr. Martina Levey  
Dlouhá 727/39  
110 00 Praha 1  
Telefon: +420 602 513 827  
martina@academia-levey.cz

## TRANSLATION CLAUSE

I, Mgr. Martina Levey, company identification number: 63683369, a certified translator and interpreter of the Czech and English languages, registered in the List of certified translators and interpreters maintained by the Ministry of Justice of the Czech Republic, hereby confirm that I have personally translated the attached document and that this translation agrees with the text of the document.

The translation is recorded in the Register under reference number: 03/2022

Prague on

M/21/2022



M/21/2022  
Mgr. Martina Levey  
Certified translator of Czech and English  
Dlouhá 727/39  
110 00 Prague 1  
Czech Republic  
Mobile: +420 602 513 827  
martina@academia-levey.cz

